




We shall not be responsible or liable for any failure of, or damage to, this plumbing product caused by the use of chlorine/bleach cleaners or related products added to the tank water. Use of such products will void the warranty and may result in product failure, possibly causing property damage. Do not over tighten plastic nuts and always turn of water supply when installing / removing toilet cistern parts.




Please note: Save this instruction sheet for future reference IMPORTANT: DO NOT use plumber's putty to seal this fitting

UK - Units 1-3 Capitol Trading Park, Kirkby Bank Road, Knowsley Industrial Estate, Liverpool, L33 7SY EU - Authorised Rep Compliance Ltd., GroundFloor, 71 Lower Baggot Street, Dublin, D02 P593, Ireland.

For more information please contact us: Tel: 0151 546 0531 E-mail: sales@vivasanitary.co.uk

## **INSTALLATION INSTRUCTIONS**



Place the valve in the correct position inside the cistern ensuring the conical rubber seal sits evenly inside the hole.



The valve has a float rotation system, allowing the float to be rotated 180. This is really beneficial if space is an issue.



Secure the valve to the cistern using the plastic washer and nut. Do not over tighten.




The valve comes with a delayed fill function which delays the filling of the cistern until 5 seconds (approx.) after the start of a flush.




The water level can be adjusted by turning the adjustment screw (clockwise for more water, anticlockwise for less water).

## **TROUBLESHOOTING**




Turn off the water supply and set access wheel to unlock.



Lift the top assembly away from the valve holding the arm.




Turn the water supply on and off to clear any debris. Hold a cup over the top to prevent any splashing.




Remove diaphragm washer and clean with water or replace.



Re-insert diaphragm washer.



Refit top assembly complete with diaphragm and tun on water supply.



For the prevention of backflow from the cistern you must ensure the critical level of the fill valve is no less than 25mm higher than the cistern overflow level.



Supplied with a double check filter pre-installed. If not required, swap with the supplied standard blue filter.

vivasanitary.co.uk/pro

Join Pro+ Installers club for exclusive benefits.

> Installation videos and further information available now.

